

**Mini Catalog for:**

**Wire Duct – DIN Rail – Cable Ties and Accessories**

Represented by KLS Controls, LLC – Menomonee Falls, WI


Phone: 414-333-4070, Fax: 262-255-3584, Web: [www.klscontrols.com](http://www.klscontrols.com)

Scott Shaw

[Scott.Shaw@KLSControls.com](mailto:Scott.Shaw@KLSControls.com)



# CANAL?LAST®





## Canalplast Wire Ducting

| LOW DENSITY | (L)                                                        |         |           |                 |        |        | Price includes cover |
|-------------|------------------------------------------------------------|---------|-----------|-----------------|--------|--------|----------------------|
| Part        | Duct Size W x H                                            |         | CP        | Standard Length | LENGTH |        |                      |
| Number      | inches                                                     | mm      | Type      | Carton Qty      | feet   | meters |                      |
| L0505       | 0.59x0.67                                                  | 15x17   | E20       | 60              | 6.56   | 2      |                      |
| L051        | 0.59x1.18                                                  | 15x30   | E22       | 48              | 6.56   | 2      |                      |
| L0515       | 0.59x1.57                                                  | 15x40   | E25       | 36              | 6.56   | 2      |                      |
| L11         | 0.98x1.18                                                  | 25x30   | E16       | 40              | 6.56   | 2      |                      |
| L115        | 0.98x1.57                                                  | 25x40   | E13       | 30              | 6.56   | 2      |                      |
| L12         | 0.98x2.36                                                  | 25x60   | E7        | 20              | 6.56   | 2      |                      |
| L13         | 0.98x3.15                                                  | 25x80   | E14       | 16              | 6.56   | 2      |                      |
| L14         | 0.98x3.94                                                  | 25x100  | E34       | 12              | 6.56   | 2      |                      |
| L151        | 1.57x1.18                                                  | 40x30   | E23       | 24              | 6.56   | 2      |                      |
| L1515       | 1.57x1.57                                                  | 40x40   | E8        | 20              | 6.56   | 2      |                      |
| L152        | 1.57x2.36                                                  | 40x60   | E5<br>CG  | 18              | 6.56   | 2      |                      |
| L153        | 1.57x3.15                                                  | 40x80   | E15<br>CG | 12              | 6.56   | 2      |                      |
| L154        | 1.57x3.94                                                  | 40x100  | E35       | 8               | 6.56   | 2      |                      |
| L21         | 2.36x1.18                                                  | 60x30   | E24       | 16              | 6.56   | 2      |                      |
| L215        | 2.36x1.57                                                  | 60x40   | E4<br>CG  | 24              | 6.56   | 2      |                      |
| L22         | 2.36x2.36                                                  | 60x60   | E9<br>CG  | 12              | 6.56   | 2      |                      |
| L23         | 2.36x3.15                                                  | 60x80   | E11<br>CG | 12              | 6.56   | 2      |                      |
| L24         | 2.36x3.94                                                  | 60x100  | E18       | 8               | 6.56   | 2      |                      |
| L315        | 3.15x1.57                                                  | 80x40   | E26<br>CG | 12              | 6.56   | 2      |                      |
| L32         | 3.15x2.36                                                  | 80x60   | E6<br>CG  | 12              | 6.56   | 2      |                      |
| L33         | 3.15x3.15                                                  | 80x80   | E12<br>CG | 12              | 6.56   | 2      |                      |
| L34         | 3.15x3.94                                                  | 80x100  | E36       | 8               | 6.56   | 2      |                      |
| L415        | 3.94x1.57                                                  | 100x40  | E27       | 8               | 6.56   | 2      |                      |
| L42         | 3.94x2.36                                                  | 100x60  | E17<br>CG | 10              | 6.56   | 2      |                      |
| L43         | 3.94x3.15                                                  | 100x80  | E19<br>CG | 8               | 6.56   | 2      |                      |
| L44         | 3.94x3.94                                                  | 100x100 | E37       | 8               | 6.56   | 2      |                      |
| L46         | 3.94x5.91                                                  | 100x150 | E43       | 4               | 6.56   | 2      |                      |
| L64         | 5.91x3.94                                                  | 150x100 | E39       | 4               | 6.56   | 2      |                      |
|             |                                                            |         |           |                 |        |        |                      |
| G = gray    |                                                            |         |           |                 |        |        |                      |
| W = white   | The letter at the end of the part number designates color. |         |           |                 |        |        |                      |
| B = blue    | Other sizes of duct are available upon request.            |         |           |                 |        |        |                      |
| BL = black  | (B and BL are special order)                               |         |           |                 |        |        |                      |

## Canalplast Wire Ducting

| HIGH DENSITY | (H)                                                        |         |             |                 |        |        | Price includes cover |  |  |
|--------------|------------------------------------------------------------|---------|-------------|-----------------|--------|--------|----------------------|--|--|
|              |                                                            |         |             |                 |        |        |                      |  |  |
| Part         | Duct Size W x H                                            |         | CP          | Standard Length | LENGTH |        |                      |  |  |
| Number       | inches                                                     | mm      | Type        | Carton Qty      | feet   | meters |                      |  |  |
| H11          | 0.98x1.18                                                  | 25x30   | E16 4       | 40              | 6.56   | 2      |                      |  |  |
| H115         | 0.98x1.57                                                  | 25x40   | E13 4       | 30              | 6.56   | 2      |                      |  |  |
| H12          | 0.98x2.36                                                  | 25x60   | E7 4        | 20              | 6.56   | 2      |                      |  |  |
| H13          | 0.98x3.15                                                  | 25x80   | E14 4       | 16              | 6.56   | 2      |                      |  |  |
| H14          | 0.98x3.94                                                  | 25x100  | E34 4       | 12              | 6.56   | 2      |                      |  |  |
| H1515        | 1.57x1.57                                                  | 40x40   | E8 4        | 20              | 6.56   | 2      |                      |  |  |
| H152         | 1.57x2.36                                                  | 40x60   | E5 4<br>CG  | 18              | 6.56   | 2      |                      |  |  |
| H153         | 1.57x3.15                                                  | 40x80   | E15 4<br>CG | 12              | 6.56   | 2      |                      |  |  |
| H154         | 1.57x3.94                                                  | 40x100  | E35 4       | 8               | 6.56   | 2      |                      |  |  |
| H215         | 2.36x1.57                                                  | 60x40   | E4 4<br>CG  | 24              | 6.56   | 2      |                      |  |  |
| H22          | 2.36x2.36                                                  | 60x60   | E9 4<br>CG  | 12              | 6.56   | 2      |                      |  |  |
| H23          | 2.36x3.15                                                  | 60x80   | E11 4<br>CG | 12              | 6.56   | 2      |                      |  |  |
| H24          | 2.36x3.94                                                  | 60x100  | E18 4       | 8               | 6.56   | 2      |                      |  |  |
| H315         | 3.15x1.57                                                  | 80x40   | E26 4<br>CG | 12              | 6.56   | 2      |                      |  |  |
| H32          | 3.15x2.36                                                  | 80x60   | E6 4<br>CG  | 12              | 6.56   | 2      |                      |  |  |
| H33          | 3.15x3.15                                                  | 80x80   | E12 4<br>CG | 12              | 6.56   | 2      |                      |  |  |
| H34          | 3.15x3.94                                                  | 80x100  | E36 4       | 8               | 6.56   | 2      |                      |  |  |
| H42          | 3.94x2.36                                                  | 100x60  | E17 4<br>CG | 10              | 6.56   | 2      |                      |  |  |
| H43          | 3.94x3.15                                                  | 100x80  | E19 4<br>CG | 8               | 6.56   | 2      |                      |  |  |
| H44          | 3.94x3.94                                                  | 100x100 | E37 4       | 8               | 6.56   | 2      |                      |  |  |
|              |                                                            |         |             |                 |        |        |                      |  |  |
| G = gray     |                                                            |         |             |                 |        |        |                      |  |  |
| W = white    | The letter at the end of the part number designates color. |         |             |                 |        |        |                      |  |  |
| B = blue     | Other sizes of duct are available upon request.            |         |             |                 |        |        |                      |  |  |
| BL = black   | (B and BL are special order)                               |         |             |                 |        |        |                      |  |  |

## TMM DIN Rail

| Part Numbers                              | Description                                                                             |                                                                                    | Qty each box        |  |
|-------------------------------------------|-----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|---------------------|--|
| TMO/15/1AO<br>TMO/15/1AF                  | 15 x 5.5<br>15 x 5.5 prepunched                                                         |  | 40 mtrs / 20 sticks |  |
| TMO/35/2AO<br>TMO/35/2AF<br>TMO/35/2AF-05 | 35 x 7.5<br>35 x 7.5 prepunched holes 18 x 6.3<br>35 x 7.5 prepunched holes 25 x 5.2    |  | 40 mtrs / 20 sticks |  |
| TMO/35/3BO<br>TMO/35/3BF<br>TMO/35/3BF-05 | 35 x 15 x 1.5<br>35 x 15 prepunched holes 18 x 6.3<br>35 x 15 prepunched holes 25 x 5.2 |  | 20 mtrs / 10 sticks |  |
| TMO/32/3BO<br>TMO/32/3BF                  | 32 x 15<br>32 x 15 prepunched holes 18 x 6.3                                            |  | 20 mtrs / 10 sticks |  |



**KS** CONTROLS

## SapiSelco Cable Ties

| NATURAL AND BLACK NYLON |               |                |         |      |                  |     |  |  |  |
|-------------------------|---------------|----------------|---------|------|------------------|-----|--|--|--|
|                         |               |                |         |      |                  |     |  |  |  |
|                         |               |                |         |      |                  |     |  |  |  |
|                         |               |                |         |      |                  |     |  |  |  |
| <b>Natural</b>          |               |                |         |      |                  |     |  |  |  |
|                         | sizes (L x W) |                | max dia |      | tensile strength |     |  |  |  |
| Part Number             | mm            | inch           | mm      | inch | daN =<br>kg      | lbs |  |  |  |
| SEL.2.201               | 75 x 2.5      | 2.95 x<br>.098 | 16      | 0.6  | 11               | 24  |  |  |  |
| SEL.2.301               | 75 x 2.5      | 2.95 x<br>.098 | 16      | 0.6  | 11               | 24  |  |  |  |
| SEL.2.202               | 100 x 2.5     | 3.9 x .098     | 24      | 0.9  | 11               | 24  |  |  |  |
| SEL.2.302               | 100 x 2.5     | 3.9 x .098     | 24      | 0.9  | 11               | 24  |  |  |  |
| SEL.2.203               | 135 x 2.5     | 5.3 x .098     | 35      | 1.3  | 11               | 24  |  |  |  |
| SEL.2.303               | 135 x 2.5     | 5.3 x .098     | 35      | 1.3  | 11               | 24  |  |  |  |
| SEL.2.204               | 160 x 2.5     | 6.2 x .098     | 40      | 1.5  | 11               | 24  |  |  |  |
| SEL.2.304               | 160 x 2.5     | 6.2 x .098     | 40      | 1.5  | 11               | 24  |  |  |  |
| SEL.2.205               | 200 x 2.5     | 7.8 x .098     | 55      | 2.1  | 11               | 24  |  |  |  |
| SEL.2.305               | 200 x 2.5     | 7.8 x .098     | 55      | 2.1  | 11               | 24  |  |  |  |
|                         |               |                |         |      |                  |     |  |  |  |
|                         |               |                |         |      |                  |     |  |  |  |
|                         |               |                |         |      |                  |     |  |  |  |
| SEL.2.210               | 140 x 3.5     | 5.5 x .13      | 36      | 1.4  | 20               | 44  |  |  |  |
| SEL.2.310               | 140 x 3.5     | 5.5 x .13      | 36      | 1.4  | 20               | 44  |  |  |  |
| SEL.2.211               | 200 x 3.5     | 7.8 x .13      | 55      | 2.1  | 20               | 44  |  |  |  |
| SEL.2.311               | 200 x 3.5     | 7.8 x .13      | 55      | 2.1  | 20               | 44  |  |  |  |
| SEL.2.215               | 225 x 3.5     | 8.8 x .13      | 65      | 2.5  | 20               | 44  |  |  |  |
| SEL.2.216               | 250 x 3.5     | 9.8 x .13      | 68      | 2.6  | 20               | 44  |  |  |  |
| SEL.2.212               | 280 x 3.5     | 11 x .13       | 80      | 3.1  | 20               | 44  |  |  |  |
| SEL.2.214               | 360 x 3.5     | 14 x .13       | 103     | 4    | 20               | 44  |  |  |  |
|                         |               |                |         |      |                  |     |  |  |  |
|                         |               |                |         |      |                  |     |  |  |  |
|                         |               |                |         |      |                  |     |  |  |  |
| SEL.2.220               | 140 x 4.5     | 5.5 x .17      | 33      | 1.2  | 28               | 61  |  |  |  |
| SEL.2.320               | 140 x 4.5     | 5.5 x .17      | 33      | 1.2  | 28               | 61  |  |  |  |
| SEL.2.221               | 160 x 4.5     | 6.2 x .17      | 38      | 1.4  | 28               | 61  |  |  |  |
| SEL.2.321               | 160 x 4.5     | 6.2 x .17      | 38      | 1.4  | 28               | 61  |  |  |  |
| SEL.2.222               | 180 x 4.5     | 7 x .17        | 45      | 1.7  | 28               | 61  |  |  |  |
| SEL.2.322               | 180 x 4.5     | 7 x .17        | 45      | 1.7  | 28               | 61  |  |  |  |
| SEL.2.223               | 200 x 4.5     | 7.8 x .17      | 51      | 2    | 28               | 61  |  |  |  |
| SEL.2.323               | 200 x 4.5     | 7.8 x .17      | 51      | 2    | 28               | 61  |  |  |  |
| SEL.2.224               | 250 x 4.5     | 9.8 x .17      | 68      | 2.6  | 28               | 61  |  |  |  |
| SEL.2.425               | 280 x 4.5     | 11 x .17       | 76      | 2.9  | 28               | 61  |  |  |  |

|           |           |            |     |     |    |    |  |  |
|-----------|-----------|------------|-----|-----|----|----|--|--|
| SEL.2.429 | 300 x 4.5 | 11.8 x .17 | 82  | 3.2 | 28 | 61 |  |  |
| SEL.2.426 | 360 x 4.5 | 14 x .17   | 101 | 3.9 | 28 | 61 |  |  |
| SEL.2.427 | 380 x 4.5 | 14.9 x .17 | 110 | 4.3 | 28 | 61 |  |  |
| SEL.2.428 | 430 x 4.5 | 16.9 x .17 | 123 | 4.8 | 28 | 61 |  |  |
|           |           |            |     |     |    |    |  |  |
| SEL.2.447 | 360 x 6   | 14 x .23   | 101 | 3.9 | 45 | 99 |  |  |


## Black UV

|                   |               |                |         |      |                  |     |  |  |
|-------------------|---------------|----------------|---------|------|------------------|-----|--|--|
|                   |               |                |         |      |                  |     |  |  |
| <b>Black (UV)</b> |               |                |         |      |                  |     |  |  |
|                   | sizes (L x W) |                | max dia |      | tensile strength |     |  |  |
| Part Number       | mm            | inch           | mm      | inch | daN =<br>kg      | lbs |  |  |
| SEL.3.201         | 75 x 2.5      | 2.95 x<br>.098 | 16      | 0.6  | 11               | 24  |  |  |
| SEL.3.301         | 75 x 2.5      | 2.95 x<br>.098 | 16      | 0.6  | 11               | 24  |  |  |
| SEL.3.202         | 100 x 2.5     | 3.9 x<br>.098  | 24      | 0.9  | 11               | 24  |  |  |
| SEL.3.302         | 100 x 2.5     | 3.9 x<br>.098  | 24      | 0.9  | 11               | 24  |  |  |
| SEL.3.203         | 135 x 2.5     | 5.3 x<br>.098  | 35      | 1.3  | 11               | 24  |  |  |
| SEL.3.303         | 135 x 2.5     | 5.3 x<br>.098  | 35      | 1.3  | 11               | 24  |  |  |
| SEL.3.204         | 160 x 2.5     | 6.2 x<br>.098  | 40      | 1.5  | 11               | 24  |  |  |
| SEL.3.304         | 160 x 2.5     | 6.2 x<br>.098  | 40      | 1.5  | 11               | 24  |  |  |
| SEL.3.205         | 200 x 2.5     | 7.8 x<br>.098  | 55      | 2.1  | 11               | 24  |  |  |
| SEL.3.305         | 200 x 2.5     | 7.8 x<br>.098  | 55      | 2.1  | 11               | 24  |  |  |
|                   |               |                |         |      |                  |     |  |  |
|                   |               |                |         |      |                  |     |  |  |
|                   |               |                |         |      |                  |     |  |  |
| SEL.3.210         | 140 x 3.5     | 5.5 x .13      | 36      | 1.4  | 20               | 44  |  |  |
| SEL.3.310         | 140 x 3.5     | 5.5 x .13      | 36      | 1.4  | 20               | 44  |  |  |
| SEL.3.211         | 200 x 3.5     | 7.8 x .13      | 55      | 2.1  | 20               | 44  |  |  |
| SEL.3.311         | 200 x 3.5     | 7.8 x .13      | 55      | 2.1  | 20               | 44  |  |  |
| SEL.3.215         | 225 x 3.5     | 8.8 x .13      | 65      | 2.5  | 20               | 44  |  |  |
| SEL.3.216         | 250 x 3.5     | 9.8 x .13      | 68      | 2.6  | 20               | 44  |  |  |
| SEL.3.212         | 280 x 3.5     | 11 x .13       | 80      | 3.1  | 20               | 44  |  |  |
| SEL.3.214         | 360 x 3.5     | 14 x .13       | 103     | 4    | 20               | 44  |  |  |
|                   |               |                |         |      |                  |     |  |  |
|                   |               |                |         |      |                  |     |  |  |
|                   |               |                |         |      |                  |     |  |  |

|           |           |            |     |     |    |    |  |  |
|-----------|-----------|------------|-----|-----|----|----|--|--|
|           |           |            |     |     |    |    |  |  |
| SEL.3.220 | 140 x 4.5 | 5.5 x .17  | 33  | 1.2 | 28 | 61 |  |  |
| SEL.3.320 | 140 x 4.5 | 5.5 x .17  | 33  | 1.2 | 28 | 61 |  |  |
| SEL.3.221 | 160 x 4.5 | 6.2 x .17  | 38  | 1.4 | 28 | 61 |  |  |
| SEL.3.321 | 160 x 4.5 | 6.2 x .17  | 38  | 1.4 | 28 | 61 |  |  |
| SEL.3.222 | 180 x 4.5 | 7 x .17    | 45  | 1.7 | 28 | 61 |  |  |
| SEL.3.322 | 180 x 4.5 | 7 x .17    | 45  | 1.7 | 28 | 61 |  |  |
| SEL.3.223 | 200 x 4.5 | 7.8 x .17  | 51  | 2   | 28 | 61 |  |  |
| SEL.3.323 | 200 x 4.5 | 7.8 x .17  | 51  | 2   | 28 | 61 |  |  |
| SEL.3.224 | 250 x 4.5 | 9.8 x .17  | 68  | 2.6 | 28 | 61 |  |  |
| SEL.3.425 | 280 x 4.5 | 11 x .17   | 76  | 2.9 | 28 | 61 |  |  |
| SEL.3.429 | 300 x 4.5 | 11.8 x .17 | 82  | 3.2 | 28 | 61 |  |  |
| SEL.3.426 | 360 x 4.5 | 14 x .17   | 101 | 3.9 | 28 | 61 |  |  |
| SEL.3.427 | 380 x 4.5 | 14.9 x .17 | 110 | 4.3 | 28 | 61 |  |  |
| SEL.3.428 | 430 x 4.5 | 16.9 x .17 | 123 | 4.8 | 28 | 61 |  |  |
|           |           |            |     |     |    |    |  |  |
| SEL.3.447 | 360 x 6   | 14 x .23   | 101 | 3.9 | 45 | 99 |  |  |

|                   |               |            |         |      |                  |     |  |  |
|-------------------|---------------|------------|---------|------|------------------|-----|--|--|
|                   |               |            |         |      |                  |     |  |  |
| <b>Black (UV)</b> |               |            |         |      |                  |     |  |  |
|                   | sizes (L x W) |            | max dia |      | tensile strength |     |  |  |
| Part Number       | mm            | inch       | mm      | inch | daN = kg         | lbs |  |  |
| SEL.3.430         | 180 x 7.5     | 7 x .29    | 44      | 1.7  | 65               | 143 |  |  |
| SEL.3.432         | 200 x 7.5     | 7.8 x .29  | 48      | 1.8  | 65               | 143 |  |  |
| SEL.3.431         | 240 x 7.5     | 9.4 x .29  | 62      | 2.4  | 65               | 143 |  |  |
| SEL.3.433         | 280 x 7.5     | 11 x .29   | 76      | 2.9  | 65               | 143 |  |  |
| SEL.3.438         | 320 x 7.5     | 12.5 x .29 | 88      | 3.4  | 65               | 143 |  |  |
| SEL.3.434         | 360 x 7.5     | 14 x .29   | 101     | 3.9  | 65               | 143 |  |  |
| SEL.3.435         | 450 x 7.5     | 17 x .29   | 130     | 5.1  | 65               | 143 |  |  |
| SEL.3.436         | 500 x 7.5     | 19 x .29   | 145     | 5.7  | 65               | 143 |  |  |
| SEL.3.437         | 540 x 7.5     | 21 x .29   | 160     | 6.2  | 65               | 143 |  |  |
| SEL.3.441         | 750 x 7.5     | 29 x .29   | 220     | 8.6  | 65               | 143 |  |  |
|                   |               |            |         |      |                  |     |  |  |
|                   |               |            |         |      |                  |     |  |  |
|                   |               |            |         |      |                  |     |  |  |
|                   |               |            |         |      |                  |     |  |  |
| SEL.3.444         | 430 x 9.0     | 16.9 x .35 | 118     | 4.6  | 80               | 176 |  |  |
| SEL.3.442         | 550 x 9.0     | 21.6 x .35 | 160     | 6.2  | 80               | 176 |  |  |
| SEL.3.443         | 780 x 9.0     | 30.7 x .35 | 235     | 9.2  | 80               | 176 |  |  |
| SEL.3.454         | 920 x 9.0     | 36.2 x .35 | 280     | 11   | 80               | 176 |  |  |
| SEL.3.455         | 1220 x 9.0    | 48 x .35   | 375     | 14   | 80               | 176 |  |  |
| SEL.3.456         | 1330 x 9.0    | 52.3 x .35 | 409     | 16   | 80               | 176 |  |  |
|                   |               |            |         |      |                  |     |  |  |

|                      |                |            |                 |     |     |     |  |  |
|----------------------|----------------|------------|-----------------|-----|-----|-----|--|--|
|                      |                |            |                 |     |     |     |  |  |
|                      |                |            |                 |     |     |     |  |  |
|                      |                |            |                 |     |     |     |  |  |
|                      |                |            |                 |     |     |     |  |  |
|                      |                |            |                 |     |     |     |  |  |
| SEL.3.450            | 250 x<br>12.5  | 9.8 x .49  | 62              | 2.4 | 120 | 264 |  |  |
| SEL.3.451            | 500 x<br>12.5  | 19.6 x .49 | 140             | 5.5 | 120 | 264 |  |  |
| SEL.3.452            | 750 x<br>12.5  | 29.5 x .49 | 222             | 8.7 | 120 | 264 |  |  |
| SEL.3.453            | 1000 x<br>12.5 | 39.3 x .49 | 300             | 11  | 120 | 264 |  |  |
|                      |                |            |                 |     |     |     |  |  |
| <b>Bases</b>         |                |            |                 |     |     |     |  |  |
| Part Numbers         | Color          | size (mm)  | PCS per 100 bag |     |     |     |  |  |
| BAS.2MT.507          | natural        | 19         | 100             |     |     |     |  |  |
| BAS.3MT.507          | black          | 19         | 100             |     |     |     |  |  |
| BAS.2MT.508          | natural        | 27         | 100             |     |     |     |  |  |
| BAS.3MT.508          | black          | 27         | 100             |     |     |     |  |  |
|                      |                |            |                 |     |     |     |  |  |
| <b>Tension Tools</b> |                |            |                 |     |     |     |  |  |
| Part Numbers         |                |            |                 |     |     |     |  |  |
| PIN.003              |                |            |                 |     |     |     |  |  |
| metal                |                |            |                 |     |     |     |  |  |
| PIN.004              |                |            |                 |     |     |     |  |  |
| plastic              |                |            |                 |     |     |     |  |  |



Copyright © 2010, KLS Controls, LLC